BitTorrent Help Session

Brown University CS 1680

2016-12-01

- Minimum Requirements
 - Can Download 1 multi-file torrents from multiple peers
 - Can Seed 1 multi-file Torrent to multiple peers
 - Allow viewing statistics (such as bytes downloaded, seeders/leechers)
 - See handout for more details
- Suggested Implementations
 - Support multiple concurrent torrents
 - Fancy Choking or piece selection algorithms

- 2 person project
 - Lots of ways to break up work, example:
 - 1 person can do Piece, Bitmap, File related stuff
 - 1 person can do Peer setup, teardown, and protocol stuff
- Can work alone, but requirements remain the same

• DO's

- read the specs: https://wiki.theory.org/BitTorrentSpecification
- read the handout:
- use Internet Archive https://archive.org/details/bittorrent
- use Wireshark
- use uTorrent, transmission, etc
- Use whatever language you want

• DONT's

- Copy code from github there is a lot of free BitTorrent code online
- Use illegal Torrents

- AWS EC2 instances will be used for your client
 - because otherwise you can't accept incoming connections
 - NAT traversal can be implemented on your own if you feel like it
- Ports 6881-6889 will be opened up to accept on
 - advertise this port to the Tracker, so other peers can connect
 - 1 port per BitTorrent client, so you need to multiplex if hosting >1 torrents

- Support Stuff
 - Reference clients for windows/linux/Darwin in the pub directory
 - useful for debugging or a reference for what you are trying to do
 - no need to implement the UI this way see transmission-cli
 - Some .torrent files from the Internet Archive
 - used by us for testing, you can use as an example
 - You'll want to grab your own .torrent files from the Internet Archive though...

- Suggested Development Flow
 - Use your TCP/IP github repo and start a new branch off the 1st commit
 - or create a new repo
 - Start a client instance on your EC2 instance, serving your torrent
 - transmission-cli transmission/ref_torrents/Hamlet_334_archive.torrent -P 6881
 - btclient –debug=1 –port=6881 (for debugging your client)
 - Develop on your laptop for the Tracker connection, and torrent downloading
 - You can use Wireshark this way very useful for initial debugging!
 - compare your requests to btclient or uTorrent or transmission or whatever
 - Develop on the aws instance for torrent seeding
 - cuz you can't seed from your laptop
 - this is where your remote git repo will make development much faster

- Immediate Actions
 - Decide if your going to work with a partner or not
 - Email the TA's, asking for your VM
 - setup your github repo
 - download wireshark, uTorrent, transmission-cli and poke around

- Implement ALL Tracker/MetainfoFile stuff first
- Then Downloading
- Then Seeding

Example & Questions