

# Interest Points and Corners

Read Szeliski 4.1


Computer Vision

CS 143, Brown



James Hays

# Correspondence across views

- Correspondence: matching points, patches, edges, or regions across images



# Example: estimating “fundamental matrix” that corresponds two views



# Example: structure from motion




# This class: interest points


- Note: “interest points” = “keypoints”, also sometimes called “features”
- Many applications
  - tracking: which points are good to track?
  - recognition: find patches likely to tell us something about object category
  - 3D reconstruction: find correspondences across different views

# This class: interest points

- Suppose you have to click on some point, go away and come back after I deform the image, and click on the same points again.
  - Which points would you choose?



# Overview of Keypoint Matching



1. Find a set of distinctive keypoints
2. Define a region around each keypoint
3. Extract and normalize the region content
4. Compute a local descriptor from the normalized region
5. Match local descriptors


# Goals for Keypoints



Detect points that are *repeatable* and *distinctive*



# Key trade-offs



## Detection of interest points



More Repeatable

Robust detection  
Precise localization

More Points

Robust to occlusion  
Works with less texture

## Description of patches



More Distinctive

Minimize wrong matches


More Flexible

Robust to expected variations  
Maximize correct matches

# Invariant Local Features

---

Image content is transformed into local feature coordinates that are invariant to translation, rotation, scale, and other imaging parameters



**Features Descriptors**


# Choosing interest points

Where would you  
tell your friend to  
meet you?



# Choosing interest points

Where would you tell your friend to meet you?



# Feature extraction: Corners

---



# Many Existing Detectors Available

Hessian & Harris

Laplacian, DoG

Harris-/Hessian-Laplace

Harris-/Hessian-Affine

EBR and IBR

MSER

Salient Regions

Others...

[Beaudet '78], [Harris '88]

[Lindeberg '98], [Lowe 1999]

[Mikolajczyk & Schmid '01]

[Mikolajczyk & Schmid '04]

[Tuytelaars & Van Gool '04]

[Matas '02]

[Kadir & Brady '01]




- What points would you choose?


# Corner Detection: Basic Idea

---


- We should easily recognize the point by looking through a small window
- Shifting a window in *any direction* should give *a large change* in intensity



“flat” region:  
no change in  
all directions



“edge”:  
no change  
along the edge  
direction



“corner”:  
significant  
change in all  
directions





# Corner Detection: Mathematics

---

Change in appearance of window  $w(x,y)$   
for the shift  $[u,v]$ :

$$E(u, v) = \sum_{x,y} w(x, y) [I(x+u, y+v) - I(x, y)]^2$$





# Corner Detection: Mathematics

---

Change in appearance of window  $w(x,y)$   
for the shift  $[u,v]$ :

$$E(u, v) = \sum_{x,y} w(x, y) [I(x+u, y+v) - I(x, y)]^2$$



# Corner Detection: Mathematics

---

Change in appearance of window  $w(x,y)$   
for the shift  $[u,v]$ :


$$E(u, v) = \sum_{x, y} w(x, y) [I(x+u, y+v) - I(x, y)]^2$$

Window  
function

Shifted  
intensity


Intensity

Window function  $w(x,y) =$



1 in window, 0 outside

or



Gaussian

# Corner Detection: Mathematics


---

Change in appearance of window  $w(x,y)$   
for the shift  $[u,v]$ :

$$E(u, v) = \sum_{x,y} w(x, y) [I(x+u, y+v) - I(x, y)]^2$$

We want to find out how this function behaves for small shifts

$E(u, v)$



# Corner Detection: Mathematics

---

Change in appearance of window  $w(x,y)$   
for the shift  $[u,v]$ :

$$E(u, v) = \sum_{x,y} w(x, y) [I(x+u, y+v) - I(x, y)]^2$$

We want to find out how this function behaves for small shifts

Local quadratic approximation of  $E(u,v)$  in the neighborhood of  $(0,0)$  is given by the *second-order Taylor expansion*:

$$E(u, v) \approx E(0,0) + [u \ v] \begin{bmatrix} E_u(0,0) \\ E_v(0,0) \end{bmatrix} + \frac{1}{2} [u \ v] \begin{bmatrix} E_{uu}(0,0) & E_{uv}(0,0) \\ E_{uv}(0,0) & E_{vv}(0,0) \end{bmatrix} \begin{bmatrix} u \\ v \end{bmatrix}$$

# Corner Detection: Mathematics

---

The quadratic approximation simplifies to

$$E(u, v) \approx [u \ v] M \begin{bmatrix} u \\ v \end{bmatrix}$$

where  $M$  is a *second moment matrix* computed from image derivatives:

$$M = \sum_{x,y} w(x, y) \begin{bmatrix} I_x^2 & I_x I_y \\ I_x I_y & I_y^2 \end{bmatrix}$$




$$M = \begin{bmatrix} \sum I_x I_x & \sum I_x I_y \\ \sum I_x I_y & \sum I_y I_y \end{bmatrix} = \sum \begin{bmatrix} I_x \\ I_y \end{bmatrix} [I_x \ I_y] = \sum \nabla I (\nabla I)^T$$

# Corners as distinctive interest points

---

$$M = \sum w(x, y) \begin{bmatrix} I_x I_x & I_x I_y \\ I_x I_y & I_y I_y \end{bmatrix}$$

2 x 2 matrix of image derivatives (averaged in neighborhood of a point).



Notation:

$$I_x \Leftrightarrow \frac{\partial I}{\partial x}$$

$$I_y \Leftrightarrow \frac{\partial I}{\partial y}$$

$$I_x I_y \Leftrightarrow \frac{\partial I}{\partial x} \frac{\partial I}{\partial y}$$


# Interpreting the second moment matrix

---

The surface  $E(u, v)$  is locally approximated by a quadratic form. Let's try to understand its shape.

$$E(u, v) \approx [u \ v] M \begin{bmatrix} u \\ v \end{bmatrix}$$

$$M = \sum_{x, y} w(x, y) \begin{bmatrix} I_x^2 & I_x I_y \\ I_x I_y & I_y^2 \end{bmatrix}$$






# Interpreting the second moment matrix

---

Consider a horizontal “slice” of  $E(u, v)$ :  $[u \ v] M \begin{bmatrix} u \\ v \end{bmatrix} = \text{const}$

This is the equation of an ellipse.



# Interpreting the second moment matrix


---

Consider a horizontal “slice” of  $E(u, v)$ :  $[u \ v] M \begin{bmatrix} u \\ v \end{bmatrix} = \text{const}$

This is the equation of an ellipse.

Diagonalization of  $M$ :  $M = R^{-1} \begin{bmatrix} \lambda_1 & 0 \\ 0 & \lambda_2 \end{bmatrix} R$

The axis lengths of the ellipse are determined by the eigenvalues and the orientation is determined by  $R$




# Visualization of second moment matrices

---




# Visualization of second moment matrices

---



# Interpreting the eigenvalues

Classification of image points using eigenvalues of  $M$ :




# Corner response function

---

$$R = \det(M) - \alpha \text{trace}(M)^2 = \lambda_1 \lambda_2 - \alpha(\lambda_1 + \lambda_2)^2$$

$\alpha$ : constant (0.04 to 0.06)



# Harris corner detector

---

- 1) Compute  $M$  matrix for each image window to get their *cornerness* scores.
- 2) Find points whose surrounding window gave large corner response ( $f >$  threshold)
- 3) Take the points of local maxima, i.e., perform non-maximum suppression

C.Harris and M.Stephens. [“A Combined Corner and Edge Detector.”](#)  
*Proceedings of the 4th Alvey Vision Conference*: pages 147—151, 1988.

# Harris Detector [Harris88]

- Second moment matrix

$$\mu(\sigma_I, \sigma_D) = g(\sigma_I) * \begin{bmatrix} I_x^2(\sigma_D) & I_x I_y(\sigma_D) \\ I_x I_y(\sigma_D) & I_y^2(\sigma_D) \end{bmatrix}$$




$$\det M = \lambda_1 \lambda_2$$

$$\text{trace } M = \lambda_1 + \lambda_2$$

2. Square of derivatives

3. Gaussian filter  $g(\sigma_I)$

1. Image derivatives  
(optionally, blur first)




4. Cornerness function – both eigenvalues are strong

$$har = \det[\mu(\sigma_I, \sigma_D)] - \alpha[\text{trace}(\mu(\sigma_I, \sigma_D))]^2 =$$

$$g(I_x^2)g(I_y^2) - [g(I_x I_y)]^2 - \alpha[g(I_x^2) + g(I_y^2)]^2$$


5. Non-maxima suppression





# Harris Detector: Steps


---



# Harris Detector: Steps

---


Compute corner response  $R$



# Harris Detector: Steps

---


Find points with large corner response:  $R > \text{threshold}$



# Harris Detector: Steps

---

Take only the points of local maxima of  $R$



# Harris Detector: Steps

---



# Invariance and covariance


---

- We want corner locations to be *invariant* to photometric transformations and *covariant* to geometric transformations
  - **Invariance:** image is transformed and corner locations do not change
  - **Covariance:** if we have two transformed versions of the same image, features should be detected in corresponding locations





# Affine intensity change

---



$$I \rightarrow a I + b$$


- Only derivatives are used => invariance to intensity shift  $I \rightarrow I + b$
- Intensity scaling:  $I \rightarrow a I$



*Partially invariant to affine intensity change*

# Image translation

---




- Derivatives and window function are shift-invariant

Corner location is covariant w.r.t. translation



# Image rotation

---




Second moment ellipse rotates but its shape (i.e. eigenvalues) remains the same

Corner location is covariant w.r.t. rotation

# Scaling

---



Corner location is not covariant to scaling!

# Next Lecture

---

How do we represent the patches around the interest points?

How do we make sure that representation is invariant?